

# Variables for all objects on a map

Variable	Description	Type	Example
\$MAP_ID	ID of the map	integer	123
container_id	IDs of the containers in which the map is to be created	array	[1,2,3,...]
	Name of the icon set to be used	string	arrows_128px   globe_64px   ...
\$TYPE	The type of the included object	string	host   hostgroup   service   servicegroup   map
\$OBJECT_ID	ID of the included object	integer	\$HOST_ID   \$HOSTGROUP_ID   etc
x	Coordinate on the x-axis	integer	123
y	Coordinate on the y-axis	integer	123
Gadget specific			
gadget	Name of the gadget	string	Tacho   TrafficLight   Cylinder   Text   RRDGraph
transparent_background	If you want the gadget background to be transparent	integer	0   1 (default 0)
Mapline specific			
startX	Starting point on the X-axis	integer	123
endX	End point on the X axis	integer	123
startY	Starting point on the Y axis	integer	123
endY	End point on the Y axis	integer	123
Maptext specific			
text	Free text	string	Lorem ipsum dolor
<p>The following BB code can be used within the text field</p> <p>[color='#356E35'][/color] (Hexadecimal colour value)            [text='small'][/text] (Options: xx-small   x-small   small   large   x-large   xx-large)            [b] [/b]            [i] [/i]            [u] [/u]            [left] [/left]            [center] [/center]            [right] [/right]            [justify] [/justify]            [url='?' tab]Map link[/url] (url= Mapid, tab = open link in new tab)            [url='https://www.google.de' tab]link description[/url] (url = url, tab = open link in new tab)</p>			